

Health Affairs

At the Intersection of Health, Health Care and Policy

Cite this article as:
Robert M. Wachter
Patient Safety At Ten: Unmistakable Progress, Troubling Gaps
Health Affairs, 29, no.1 (2010):165-173
(published online December 1, 2009; 10.1377/hlthaff.2009.0785)

The online version of this article, along with updated information and services, is available at:

<http://content.healthaffairs.org/content/29/1/165.full.html>

For Reprints, Links & Permissions:

http://healthaffairs.org/1340_reprints.php

E-mail Alerts : <http://content.healthaffairs.org/subscriptions/etoc.dtl>

To Subscribe: <http://content.healthaffairs.org/subscriptions/online.shtml>

Health Affairs is published monthly by Project HOPE at 7500 Old Georgetown Road, Suite 600, Bethesda, MD 20814-6133. Copyright © 2010 by Project HOPE - The People-to-People Health Foundation. As provided by United States copyright law (Title 17, U.S. Code), no part of *Health Affairs* may be reproduced, displayed, or transmitted in any form or by any means, electronic or mechanical, including photocopying or by information storage or retrieval systems, without prior written permission from the Publisher. All rights reserved.

Not for commercial use or unauthorized distribution

By Robert M. Wachter

Patient Safety At Ten: Unmistakable Progress, Troubling Gaps

doi: 10.1377/hlthaff.2009.0785
HEALTH AFFAIRS 29,
NO. 1 (2010): 165–173
©2009 Project HOPE—
The People-to-People Health
Foundation, Inc.

ABSTRACT December 1, 2009, marks the tenth anniversary of the Institute of Medicine report on medical errors, *To Err Is Human*, which arguably launched the modern patient-safety movement. Over the past decade, a variety of pressures (such as more robust accreditation standards and increasing error-reporting requirements) have created a stronger business case for hospitals to focus on patient safety. Relatively few health care systems have fully implemented information technology, and we are finally grappling with balancing “no blame” and accountability. The research pipeline is maturing, but funding remains inadequate. Our limited ability to measure progress in safety is a substantial impediment. Overall, I give our safety efforts a grade of B–, a modest improvement since 2004.

Robert M. Wachter

(bobw@medicine.ucsf.edu) is professor and associate chair of the Department of Medicine at the University of California, San Francisco.

Five years ago, on the occasion of the fifth anniversary of the Institute of Medicine (IOM) report on medical errors,¹ I reviewed progress in patient safety in five areas: efforts to create and enforce new safety standards through regulation and accreditation; weaknesses in how health systems track and report errors; the disappointing uptake of promising information technology (IT) tools that promote patient safety; the lack of progress in reforming the U.S. medical malpractice landscape and fostering increased accountability among health care providers; and the paucity of physician and nurse engagement in patient safety efforts.² Overall, I gave a grade of C+ to our early efforts. In this paper I update my assessment of the patient-safety field, again assigning grades representing this observer’s informed but nonscientific assessment of progress in each area.

The scope of the patient-safety movement has broadened since 2004, leading me to add five domains to the original set: research, patient involvement, provider organization leadership engagement, national and international organizational initiatives, and use of the payment sys-

tem to drive safety. Exhibit 1 compares my grades during the 1999–2004 and 2004–2009 eras.

Areas Described In The 2004 Paper

REGULATION AND ACCREDITATION In my 2004 paper,² I praised the Joint Commission’s efforts to create safety standards and enforce them through more robust inspections. It was during this early era that the Joint Commission first developed its National Patient Safety Goals, adopted the “tracer methodology” (talking to patients and caregivers around the organization during site inspections instead of focusing on reviewing meeting records and policies), and shifted from preannounced to unannounced visits. Since 2004, the Joint Commission has continued these initiatives, but it now confronts a common problem of regulators and accreditors: once the low-hanging fruit has been picked, their blunt tools become increasingly ill-suited to drive progress in complex, nuanced areas. Contrast Joint Commission National Patient Safety Goals released in the first and second eras: “sign your site” and eliminating high-risk abbreviations were typical of pre-2004 goals. More recent

EXHIBIT 1

An Assessment Of Our Progress In Ten Key Patient-Safety Domains, 1999–2004 And 2004–2009

Safety category	2004 grade	2009 grade	Comments
Regulation/accreditation	A-	B+	An important early driver, but much of the low-hanging fruit has now been picked
Reporting systems	C	B+	Key intervention was the adoption of the NQF list to support error reporting; some improvement in analytical abilities at provider organization and state/national levels
Health information technology	B-	C+	Surprisingly low uptake over past 5 years; increasing evidence of health IT-related safety hazards and implementation challenges; new infusion of federal dollars should promote health IT adoption
Malpractice system and accountability	D+	C+	Increased pressure for accountability has led to more emphasis on “Just Culture”; more accountability at leadership level as well; practical approaches for balancing “no blame” and accountability still lagging
Workforce and training issues	B	B-	Limited but increased engagement by providers; evidence regarding impact of residency duty-hour limits mixed; nurse shortage eased but primary care shortage worse; few organizations adopting robust teamwork, culture change, or simulation programs
Research	- ^a	B-	Stronger methods are emerging; moderate, but insufficient, increase in funding; still limited data on what works; field still debating fundamental questions regarding evidence standards for safety studies
Patient engagement and involvement	- ^a	C+	Patient advocacy movements small; impact of “how can patients protect themselves?” efforts uncertain; significant progress on disclosure policies and practices
Provider organization leadership engagement	- ^a	B	Stronger focus on safety by boards, “C-suite,” as business case becomes more robust; uptake of strong leadership interventions (root-cause analyses, Executive Walk Rounds) improved but spotty
National and international organizational interventions	- ^a	A-	Much stronger engagement by AHRQ, NQF, Joint Commission, ACGME, WHO, IHI, and others; better dissemination of tools, training, and requirements; some wide-scale change efforts (IHI campaigns, Michigan and WHO checklist studies) have illustrated capacity for broad engagement and measurable progress
Payment system interventions	- ^a	C+	Impact of P4P in quality uncertain; P4P not yet applied to safety because of measurement challenges; Medicare’s “no pay for errors” is a provocative initiative; no evidence yet about impact and concerns regarding unintended consequences
Overall grade for progress in patient safety	C+	B-	Most striking improvements in reporting and leadership; gaps in IT and accountability are most concerning, but both areas should see significant progress, driven by new funding (IT) and emerging consensus (accountability)

SOURCE Author’s analysis. **NOTES** NQF is National Quality Forum. AHRQ is Agency for Healthcare Research and Quality. ACGME is Accreditation Council for Graduate Medical Education. WHO is World Health Organization. IHI is Institute for Healthcare Improvement. P4P is pay-for-performance. ^aNot ranked in 2004.

goals include requiring hospitals to have a process in place to identify and respond to caregivers who are disruptive or create a negative culture; improving hospital leadership, and promoting patient involvement in safety.

Moreover, several recent goals were released before there was robust evidence to guide implementation, leading to major missteps and wasted motion. For example, there is consensus that the 2005 National Patient Safety Goal requiring hospitals to reconcile medications at every patient transition was enacted without sufficient guidance about how to accomplish this complex task successfully. The Joint Commission’s recent announcement that it would no longer grade hospitals’ performance on reconciling medications is an acknowledgement of the goal’s many problems and an important cautionary note about the hazards of implementing national safety standards prematurely.

Some hospital leaders have criticized the Joint

Commission for being overly aggressive. Nonetheless, after reviewing several instances in which hospitals that appeared to have chronic safety problems were not censured by the Joint Commission, in 2008 Medicare opened the hospital accreditation market to selected competitors. The impact of this change is not yet known. Notwithstanding these critiques, a large gap remains between the comparatively stringent accreditation standards for hospitals and nursing homes and the lax environment for clinics, doctors’ offices, and surgical centers—a gap that illustrates our continued relative inattention to safety in these settings.³

Other accreditors are becoming involved in patient safety. The American Board of Medical Specialties (ABMS), representing physician accrediting boards, and the Accreditation Council for Graduate Medical Education (ACGME) have emphasized new “competencies” such as systems-based practice, leading to early efforts to

Recent experience has confirmed that health IT is harder than it looks, a concern I raised in 2004.

add such content to examinations and training programs.^{4,5} Undoubtedly, the ACGME's most consequential initiative was its 2003 duty-hours limits, which have enhanced the quality of life of physicians-in-training but have not measurably improved patient safety.^{6,7} Although many public stakeholders seek even tighter limits on duty hours and housestaff supervision,⁸ hospitals and training program directors have pushed back, citing worries about costs, insufficient training experiences, and the creation of a shift-work mentality.

Many states have stepped up their oversight of hospitals and providers to promote safety. These efforts strike fear in the hearts of hospital leaders, but their impact on safety remains unclear. Some institutions report an undue focus on meeting a variety of detailed administrative requirements that feel somewhat arbitrary, leading to diminished provider enthusiasm and collaboration. On the other hand, state requirements that hospitals report serious adverse events appear to be prompting institutions to initiate more rapid and thorough analyses of such events—a positive development.⁹

Overall, I give a grade of B+ to this category. Although the increased involvement of the ACGME, the ABMS, and states is net positive, the fall in grade from 2004 is attributable to the challenges faced by accreditors like the Joint Commission as they turn to knottier problems involving culture and communication.

REPORTING SYSTEMS In part because of the successes of the Aviation Safety Reporting System in promoting airline safety, in the early years of the patient-safety movement, many individuals and institutions believed that creating vigorous reporting systems for medical errors and near-misses would be equally critical. However, in 2004² I criticized early institutional (such as “incident reporting systems” in hospitals) and extra-institutional (such as systems that require that hospital error reports be submitted to government agencies) reporting efforts, particularly those that admonished, or required, care-

givers and hospitals to “report everything.” I felt that such efforts risked collecting massive amounts of data without promoting much learning or improvement.

The key development in reporting has been a shift from reporting “everything” to reporting a manageable list of serious, and partly preventable, adverse events. Such a list (commonly called “never events,” a misnomer because many of the events on the list are not fully, or even substantially, preventable) was launched by the National Quality Forum in 2003 and soon became the scaffolding for more useful reporting requirements.¹⁰ Twenty-seven U.S. states now require hospitals to report “never events,” a requirement that has begun to force hospitals to adopt much more powerful and nimble strategies to analyze errors.⁹ At my hospital (University of California, San Francisco, Medical Center), for example, the pressures of state reporting led to the creation of a standing weekly two-hour Root Cause Analysis (RCA) meeting, during which we promptly analyze serious adverse events, assign work groups to implement solutions, and review the resulting follow-up reports to learn lessons and troubleshoot problems. Although this is a more robust practice than that found in many other hospitals, it illustrates the emerging focus on error analysis and system improvement driven by new reporting requirements.

Interestingly, in contrast to the quality world, where public reporting has been a central theme (“transparency”), public reporting of safety outcomes remains unusual (most of the state “never event” reports described above are not made public). The difference lies in our continued reliance on provider self-reports to count most safety outcomes (versus quality performance, which can often be ascertained by reviewing existing clinical or administrative records). The major exception to this—health care-associated infections—has, not surprisingly, become the focus of several safety-related reporting programs.

Overall, my grade for safety reporting is a B+ (up from 2004's C), the improvement reflecting the emergence of the National Quality Forum “never events” list as the basis for more useful error reporting systems, along with modest error reporting and analysis capacity building within some provider organizations.¹¹

HEALTH INFORMATION TECHNOLOGY Politicians often laud health IT as the cure for medical errors, but most experts realize that it represents only part of the solution. Nevertheless, the promise of health IT is real, which makes its low uptake so disappointing: only 17 percent of hospitals have functioning computerized order entry, and fewer than 2 percent have completely integrated

systems that include computerized provider order entry, electronic medical records, and decision support on all clinical units.¹²

Moreover, recent experience has confirmed that health IT is harder than it looks, a concern I raised in 2004.² Several major installations of vendor-produced systems have failed, and many safety hazards caused by faulty health IT systems have been reported.^{13,14} Although some provider organizations have implemented health IT systems and report major improvements in safety-related areas,¹⁵ overall progress has been stunningly slow.

The most hopeful development is federal engagement. After years of complete reliance on the private sector, the federal government recently made \$19 billion available to support health IT implementation in doctors' offices and hospitals. Although there are sure to be missteps, this massive infusion of federal money is critical, since health IT's glacial adoption curve clearly represents a market failure.

Overall, I give health IT a lower grade (C+) than I did in 2004, mostly because its failure to fulfill its promise is even more jarring when juxtaposed against information technology's overwhelming impact on our lives outside health care. But we seem poised to take important leaps, and I will be surprised if we do not see many exciting developments soon.

THE MALPRACTICE SYSTEM AND ACCOUNTABILITY Sadly, the intellectual work on medical malpractice that characterized the early years of the patient-safety movement^{16,17} has all but disappeared. This is probably because there has been virtually no movement toward modifying the U.S. tort system, undoubtedly owing to intractable politics.

On the other hand, interest in balancing a systems-oriented focus (accompanied by efforts to resist the natural tendency to blame individuals for errors) with accountability is blossoming, which is a critical development. The mental model for patient safety in the first five years was "no blame" and "it's the system, stupid."¹⁸ This mantra helped engage reluctant providers and undoubtedly generated substantial progress. But starting about five years ago, leading thinkers in the safety field, including Lucian Leape, began arguing the need for consequences for failure to adhere to safety rules.^{19,20} David Marx's "Just Culture" has become a popular model for differentiating "human error" (inadvertent slips by good workers, which should be managed with "no blame" and systems change) from blame-worthy acts (conscious disregard of unreasonable risks, which should be managed through remedial or punitive action).²¹

Despite this recent emphasis, enforcement re-

Enforcement remains lax, even for willful violations of reasonable safety standards such as hand hygiene.

mains lax, even for willful violations of reasonable safety standards such as hand hygiene. Peter Pronovost and I recently argued that it is time to penalize physicians and others who fail to follow such standards.²² The degree to which these arguments will influence practice and culture is not yet clear.

I give this area a C+, a full grade higher than 2004's D+, largely because we have finally begun to grapple with the tension between "no blame"/systems thinking and accountability. Future grades will hinge on our success in striking this crucial but elusive balance.

WORKFORCE AND TRAINING ISSUES This area has been surprisingly inert in recent years. Although physicians' involvement is crucial for patient safety, many—perhaps most—practicing physicians remain unengaged. Such physicians' engagement in safety is probably greatest in large integrated organizations, where the organization's increasing accountability is keenly felt by employed or highly aligned physicians.²³ Even in organizations that lack tight integration, some physician groups—most notably hospitalists—have emerged as key leaders in safety, largely because they receive compensation from their hospital and thus partly share their hospital's accountabilities.

Progress in nursing safety had also been surprisingly sparse. Particularly striking is the slowdown in research linking nursing characteristics and staffing to safety.^{24,25} On the positive side, public reporting of certain "nursing-sensitive" safety problems, such as bedsores and patient falls, has provided a focus for nursing safety, and some new models for nurse-physician communication (most notably, training nurses to use a structured format, known as SBAR ["Situation, Background, Assessment, Recommendation"] to report their concerns) have become popular.²⁶

Finally, although the nurse shortage has eased a bit, a primary care physician shortage has wor-

sened, creating increasing challenges around safety and coordination of care for outpatients.

As with health IT, I have lowered my grade in this category slightly (to B-), reflecting its surprising lack of progress.

Areas Not Described In The 2004 Paper

RESEARCH IN PATIENT SAFETY To illustrate the growing recognition of the importance of research to driving progress in patient safety, I focus on a single paper: the seminal study describing the use of checklists to prevent central line-associated bloodstream infections in more than 100 intensive care units (ICUs) in Michigan.²⁷

Interestingly, health care-associated infections were barely mentioned in *To Err Is Human*,¹ reflecting their relatively low initial priority in the safety field. Their elevation to today's central position was promoted by research on prevalence, much of it performed or supported by the Centers for Disease Control and Prevention and state health departments,²⁸ as well as by an influential 2001 Agency for Healthcare Research and Quality evidence report.²⁹ This latter report demonstrated that most central line-associated bloodstream infections could be prevented by relatively straightforward interventions, such as the use of tunneled catheter insertion techniques, maximum sterile barriers, and avoidance of the femoral insertion site.

The emergence of a new mental model designed to promote the implementation of multi-step safety practices was also important. Instead of measuring performance on each step individually (for example, "the hospital implemented Practice A 80 percent of the time, Practice B 64 percent, and Practice C 50 percent"), the model promoted "all-or-nothing" measurement of a practice "bundle" (that is, "the hospital implemented the practice bundle [in other words, correctly performed Practices A, B, and C] only 30 percent of the time").^{30,31} Subsequently, some experts hypothesized that the use of checklists might promote adherence to all of the required practices in a bundle, making it more likely that hospitals would achieve high scores on their "all-or-none" measures. So the stage was set: a measurable, highly prevalent, morbid, and expensive adverse event; research demonstrating that the event could be prevented by a series of achievable strategies; a new conceptual model promoting "all-or-nothing" performance of these strategies ("bundles"); and a tool (checklists) to facilitate adherence to the evidence-based care processes.

After a pilot study demonstrated that these kinds of infections could be nearly eliminated,³²

Johns Hopkins researchers devised an audacious experiment: to implement the checklist strategy (crucially, accompanied by culture-change efforts)³³ at more than 100 Michigan hospital ICUs. The resulting study²⁷—which demonstrated a 66 percent drop in central line-associated bloodstream infection rates, saving 1,500 lives and \$100 million—led to checklist interventions for other safety problems, the most notable being a preoperative checklist that decreased surgical complications.³⁴ A *New Yorker* article³⁵ was also pivotal in promoting this work, illustrating the increasing importance of public engagement through lay-oriented channels, blogs, and social media tools to advancing a health care safety agenda.

The Michigan ICU checklist story vividly demonstrates how research can drive safety improvement. In other patient-safety areas, research is helping answer key questions surrounding issues like teamwork training, simulation, prevention of falls, and improving transitions of care. Unfortunately, research has sometimes lagged behind widespread implementation of safety-oriented measures. For example, safety initiatives have been promoted by accreditors (such as medication reconciliation by the Joint Commission), payers (such as the inclusion of falls and bedsores in Medicare's "no pay for errors" initiative), or other opinion leaders (such as the promotion of Rapid Response Teams by the Institute for Healthcare Improvement [IHI]) before robust research had demonstrated the effectiveness of these practices.

In fact, two intellectual camps have formed around the nature of research and implementation in safety and quality. One camp, led by Andrew Auerbach, Kaveh Shojania, and Peter Pronovost, has argued that traditional evidence standards should not be relaxed for safety and quality interventions.^{36,37} Specifically, they worry that widespread implementation of safety practices based on intuition or anecdotal evidence is likely to lead to unintended consequences, squandered resources, and an inability for us to determine whether interventions really worked. The other, championed by Don Berwick, argues that the evidence standards traditionally used to judge biomedical interventions (such as requiring randomized controlled studies to prove benefit) are inappropriate or set too high a bar for areas as complex as those found in patient safety.^{38,39} The results of this fundamental debate will influence safety research for decades to come.

Overall, I give research in patient safety a B-. We have made progress in key areas, but funding is still far too limited, knowledge gaps in crucial areas remain, and the ongoing debate on evi-

dence standards must be resolved. Ultimately, we depend on research to drive progress in safety—there is no shortcut.

PATIENT ENGAGEMENT AND INVOLVEMENT Over the past decade, a few patient-safety advocacy groups have emerged, often led by people who have personal experience with medical errors. These groups have helped put a human face on the patient-safety issue and ensure that the voices of patients and their loved ones are considered as policies are being crafted. Unfortunately, their small size and paltry funding have limited their impact.

Another recent trend might be called the “What can patients do to prevent medical mistakes?” movement. Although informing patients of their tests and medications is unquestionably worthwhile as a general practice, patient engagement as an error-prevention strategy remains unproven, and concerns have been raised about it on two grounds.⁴⁰ First, because patients and families will vary in their capacity to participate in ensuring their own safety, some safety experts have argued that patient engagement might be ineffective or even counterproductive.^{40,41} Second, patients or families often feel guilty after errors occur, a feeling that might be inadvertently promoted by an expectation that they could have prevented the error.⁴²

In recent years, momentum has grown to support error disclosure to patients, bolstered by research demonstrating that disclosure does not raise the risk of malpractice suits and might even decrease it.⁴³ Disclosure has also been promoted by state laws preventing plaintiffs from using apologies in subsequent litigation, a Joint Commission National Patient Safety Goal on disclosure, an influential Harvard guideline,⁴⁴ the National Quality Forum’s decision to endorse disclosure as a “safe practice,”¹⁰ and the emergence of programs and tools to educate providers on effective disclosure practices.⁴⁵

Overall, I give this category of C+, largely on the strength of the disclosure trend. The impact of patient advocacy groups remains small, and we await evidence on the effectiveness of patient engagement.

ENGAGEMENT OF PROVIDER ORGANIZATIONS’ LEADERSHIP This area is crucial, since much of the action in patient safety flows from decisions made by leaders of hospitals, group practices, and health care systems. Many such activities are prompted by changes in other categories; in fact, I’d argue that the most important force promoting hospital safety has been the creation—via regulatory and accreditation standards, public reporting, and more—of a business case for safety.^{46,47}

Recently, boards and top executives have been

subject to even more direct pressure. The IHI’s “5 Million Lives” campaign included a plank titled “Boards on Board,” and a recent Joint Commission National Patient Safety Goal targets leadership engagement. As a result of these focused initiatives and more general pressures, many boards and leaders are increasingly involved in safety work. New strategies have emerged to support this work, including Executive Walk Rounds (programs in which senior executives walk onto clinical units to elicit safety concerns), the creation of governing board patient-safety subcommittees, and presentation of stories of patient harm at leadership meetings.⁴⁸

The business and regulatory case for safety is likely to continue to grow, especially if Medicare’s “no pay for errors” proves successful and if better measures of safety are developed to fuel transparency initiatives. We will know that the leadership commitment and business case for patient safety are sufficiently robust when the safety budget remains intact during lean times, which is often not the case now.

Today, I give this category a B. There has been impressive progress in this area—had I ranked it in 2004, I would have given it a C–.

INTERVENTIONS BY NATIONAL AND INTERNATIONAL ORGANIZATIONS Think back to 1999. The Joint Commission inspected hospitals with pre-announced surveys every few years. The Agency for Healthcare Research and Quality (AHRQ) supported virtually no research in patient safety. The World Health Organization (WHO) lacked an organized safety enterprise. Physician and nurse accrediting boards and training programs did not include safety as a core competency. There was no federal effort to promote health IT implementation. Only cognoscenti had heard of the Institute for Healthcare Improvement, and the National Quality Forum had just been formed.

Today, each of these organizations is flourishing, with much of their focus on patient safety (Exhibit 2). The IHI has completed two major campaigns that energized thousands of workers and health care organizations. AHRQ has supported myriad initiatives in safety—not just research but also Web sites, tools, and more. The National Quality Forum’s list of “never events” became the scaffolding for reporting systems and payment changes.¹⁰ The Joint Commission has modified its processes and recently formed a center to support safety and quality improvement. Similar efforts have occurred in many other countries, supported by the WHO. Finally, projects such as the Michigan and WHO checklist studies^{27,34} have demonstrated the capacity of large-scale interventions to create measurable improvements.

Milestones In The First Decade Of The Patient-Safety Movement

Year	Milestone
1999	Release of the IOM report <i>To Err Is Human</i> creates a media sensation and launches the modern patient-safety movement
2000	U.K. National Health Service releases another major report, <i>An Organisation with a Memory</i> ^a
2001	IOM releases its <i>Quality Chasm</i> report ^b
2001	AHRQ receives \$50 million from Congress to begin a patient-safety research and improvement program
2002	Joint Commission releases its first National Patient Safety Goals, followed by dozens more over the next 7 years
2002	NQF releases its initial list of serious adverse events, commonly called the “never events” list
2003	ACGME institutes duty-hours regulations, limiting residents to 80 hours per week
2003	17-year-old Jessica Santillan dies at Duke University Medical Center as the result of a mismatched heart-lung transplant; the error receives international media attention
2003	Minnesota becomes the first U.S. state to create a statewide error-reporting system based on NQF list of serious adverse events; 26 states would follow suit over the next 6 years
2004	U.S. government creates the Office of the National Coordinator for Health IT (ONC), the first federal initiative to computerize health care
2004	WHO forms the World Alliance for Patient Safety (later renamed WHO Patient Safety)
2005	IHI launches its first national campaign (100,000 Lives Campaign) to promote the use of patient-safety interventions
2005	U.S. Congress authorizes the creation of “Patient Safety Organizations” (PSOs)—voluntary associations of health care entities to promote error reporting and shared learning; implementation of PSOs is delayed until detailed guidelines are released in late 2008
2006	Publication of the Michigan ICU study in the <i>New England Journal of Medicine</i> , demonstrating remarkable reductions in catheter-related bloodstream infections through the use of a checklist and associated interventions
2007	Twin children of actor Dennis Quaid nearly die after a massive overdose of heparin at Cedars-Sinai Medical Center in Los Angeles, CA
2008	Medicare launches its “no pay for errors” initiative, the first use of the payment system to promote patient safety
2009	U.S. Congress appropriates \$19 billion to promote implementation of electronic health records and health IT, partly to improve patient safety

SOURCE Author’s analysis drawn from multiple references, particularly Note 18 in text. **NOTES** IOM is Institute of Medicine. AHRQ is Agency for Healthcare Research and Quality. NQF is National Quality Forum. ACGME is Accreditation Council for Graduate Medical Education. WHO is World Health Organization. IHI is Institute for Healthcare Improvement. ICU is intensive care unit. ^aDonaldson L. *An organisation with a memory: report of an expert group on learning from adverse events in the NHS chaired by the Chief Medical Officer*. London (UK): Stationery Office; 2000. ^bInstitute of Medicine. *Crossing the quality chasm: a new health system for the twenty-first century*. Washington (DC): National Academies Press; 2001.

Overall, I’d give the efforts of large national and international organizations an A–. In fact, their successes have created a new problem: the profusion of activities now makes harmonization increasingly crucial. For example, situations may soon arise in which hospitals are being required to collect different data or implement varied solutions for the same problem (such as preventing hospital-acquired infections) by state regulators, the Joint Commission, and the National Quality Forum. I fear that without harmonization, providers and administrators will be buffeted by (and ultimately rebel against) competing initiatives and requirements.

PAYMENT SYSTEM INTERVENTIONS There is great interest in the use of the payment system to drive quality improvement, and early experiments have been mildly supportive of “pay-for-performance” (P4P) strategies.⁴⁹ In contrast, the use of P4P in safety has been limited by the measurement problems described earlier. The problem is seen most vividly with hospital incident reporting systems, where increased numbers of reports (a “reporting culture”) and decreased numbers of reports (“fewer errors”) are *both* often inter-

preted as evidence of progress.^{50,51}

Serendipitously, a feature of Medicare’s hospital reimbursement system created an opportunity to use payment policy to drive patient safety. The diagnosis-related group (DRG) system provides an extra payment (averaging about 30 percent) for “complicating conditions,” some of which are on the National Quality Forum’s “never events” list. This coincidence created an opportunity for Medicare to withhold the extra payment if the “complicating condition” was one of ten “preventable adverse events.”⁴⁷ The “no pay for errors” policy, launched in 2008, has increased hospitals’ focus on preventing certain adverse events (despite relatively trivial payment cuts to date).⁵² However, concerns have been raised about fairness (particularly since many of the events on the list are not known to be substantially preventable)⁵³ and unintended consequences (such as keeping hospitalized elderly patients in bed in a misguided effort to prevent falls).⁵⁴

For now, I give this category a C+, with some points awarded to Medicare’s new policy for being a clever way to begin reshaping the reim-

bursement system to promote patient safety.

Where Are We Now In Patient Safety?

As we mark the tenth anniversary of *To Err Is Human*,¹ some commentators and consumer organizations have criticized the safety field for having made insufficient progress.^{55,56} These harsh reviews have been abetted by “data” demonstrating static or increasing numbers of adverse events. However, many of the cited event rates are flawed,⁵⁰ particularly those that depend on provider reports or those that were developed for purposes of screening rather than comparative measurement.

In my view, the activities chronicled in this paper represent unmistakable progress, even though hard evidence of improved outcomes remains elusive because of our rudimentary measurement capacity in safety. Unfortunately, the Harvard Medical Practice Study⁵⁷—the blockbuster from which the IOM’s now famous estimate of 44,000–98,000 deaths per year from medical errors was drawn—is unlikely to be repeated because of cost and complexity, leaving us unsure of the impact of our efforts in reducing true

harm.

My own assessment is that our progress deserves an overall grade of B–, a slight improvement on my 2004 grade of C+. In a field as complex and massive as health care, a decade is a relatively short time, and incremental progress is probably the best we can hope for. In fact, if anyone had asked me in 1999 how much change in patient safety–related areas would be possible within a decade, I would have greatly underestimated our actual accomplishments. Most of our changes have constituted real progress, and even our missteps have yielded valuable lessons. Moreover, in a further sign of the field’s maturation, previously unaddressed areas (such as diagnostic errors) are being placed on the safety field’s agenda,⁵⁸ and we are beginning to consider how to prioritize safety interventions.⁵⁹

The next decade will undoubtedly build on this progress and take advantage of these lessons. As for today, impatience is understandable, critical reflection is essential, and much remains to be done. Yet we should take some pride in the progress we *have* made in patient safety, progress that reflects enormous commitments of time and passion by caregivers, leaders, and health care organizations. ■

B–

Overall Grade

Our progress deserves an overall grade of B–, a slight improvement on my 2004 grade of C+.

Robert Wachter reports having an equity interest and serving on advisory boards for PatientSafe Solutions and Doctor Evidence, serving on paid advisory boards for Google and Epocrates,

receiving fees from QuantiaMD for helping produce a Web-based series on patient safety and from the American Board of Internal Medicine for serving on its board of directors, and receiving

funding under a contract from the Agency for Healthcare Research and Quality for editing two patient-safety Web sites and royalties from publishers from two books on patient safety.

NOTES

- Kohn LT, Corrigan JM, Donaldson MS, editors. *To err is human: building a safer health system*. Washington (DC): National Academies Press; 1999.
- Wachter RM. The end of the beginning: patient safety five years after “To Err Is Human.” *Health Aff (Millwood)*. 2004;23:w4-534-45.
- Wachter RM. Is ambulatory patient safety just like hospital safety, only without the “stat”? *Ann Intern Med*. 2006;145(7):547-9.
- Kachalia A, Johnson JK, Miller S, Brennan T. The incorporation of patient safety into board certification examinations. *Acad Med*. 2006;81(4):317-25.
- Singh R, Naughton B, Taylor JS, Koenigsberg MR, Anderson DR, McCausland LL, et al. A comprehensive collaborative patient safety residency curriculum to address the ACGME core competencies. *Med Educ*. 2005;39(12):1195-204.
- Rosen AK, Loveland SA, Romano PS, Itani KM, Silber JH, Even-Shoshan OO, et al. Effects of resident duty hour reform on surgical and procedural patient safety indicators among hospitalized Veterans Health Administration and Medicare patients. *Med Care*. 2009;47(7):723-31.
- Prasad M, Iwashyna TJ, Christie JD, Kramer AA, Silber JH, Volpp KG, et al. Effect of work-hours regulations on intensive care unit mortality in United States teaching hospitals. *Crit Care Med*. 2009;37(9):2564-9.
- Ulmer C, Wolman DM, Johns MME, editors. *Resident duty hours: enhancing sleep, supervision, and safety*. Washington (DC): National Academies Press; 2008.
- Rosenthal J. Advancing patient safety through state reporting systems. *AHRQ WebM&M [serial online]*. 2007 Jun. Available from: <http://webmm.ahrq.gov/perspective.aspx?perspectiveID=43>
- National Quality Forum. *Safe practices 2009*. Washington (DC): NQF; 2009.
- Wu AW, Lipshutz AK, Pronovost PJ. Effectiveness and efficiency of root cause analysis in medicine. *JAMA*. 2008;299(6):685-7.
- Jha AK, DesRoches CM, Campbell EG, Donelan K, Rao SR, Ferris TG, et al. Use of electronic health records in U.S. hospitals. *N Engl J Med*. 2009;360(16):1628-38.
- Han YY, Carcillo JA, Venkataraman ST, Clark RS, Watson RS, Nguyen TC, et al. Unexpected increased mortality after implementation of a commercially sold computerized physician order entry system. *Pediatrics*. 2005;116(6):1506-12.
- Koppel R, Metlay JP, Cohen A, Abaluck B, Localio AR, Kimmel SE, et al. Role of computerized physician order entry systems in facilitating medication errors. *JAMA*. 2005;293(10):1197-203.
- Bates DW. The effects of health information technology on inpatient care. *Arch Intern Med*. 2009;169(2):105-7.
- Merry A, Smith AM. *Errors, medicine, and the law*. Cambridge (UK): Cambridge University Press; 2001.
- Bismark MM, Brennan TA, Davis PB, Studdert DM. *Claiming beha-*

- viour in a no-fault system of medical injury: a descriptive analysis of claimants and non-claimants. *Med J Aust.* 2006;185(4):203-7.
- 18 Wachter RM. Understanding patient safety. New York (NY): McGraw-Hill Professional; 2007.
- 19 Leape LL. New world of patient safety. Twenty-third annual Samuel Jason Mixer Lecture. *Arch Surg.* 2009;144(5):394-8.
- 20 Goldmann D. System failure versus personal accountability—the case for clean hands. *N Engl J Med.* 2006;355(2):121-3.
- 21 Marx D. Patient safety and the “just culture”: a primer for health care executives. New York (NY): Columbia University; 2001.
- 22 Wachter RM, Pronovost PJ. Balancing “no blame” and accountability in patient safety. *N Engl J Med.* 2009;361:1401-6.
- 23 Fisher ES, Staiger DO, Bynum JP, Gottlieb DJ. Creating accountable care organizations: the extended hospital medical staff. *Health Aff (Millwood).* 2007;26(1):w44-57.
- 24 Rogers AE, Hwang WT, Scott LD, Aiken LH, Dinges DF. The working hours of hospital staff nurses and patient safety. *Health Aff (Millwood).* 2004;23(4):202-12.
- 25 Aiken LH, Clarke SP, Sloane DM, Sochalski J, Silber JH. Hospital nurse staffing and patient mortality, nurse burnout, and job dissatisfaction. *JAMA.* 2002;288(16):1987-93.
- 26 Woodhall LJ, Vertacnik L, McLaughlin M. Implementation of the SBAR communication technique in a tertiary center. *J Emerg Nurs.* 2008;34(4):314-7.
- 27 Pronovost P, Needham D, Berenholtz S, Sinopoli D, Chu H, Cosgrove S, et al. An intervention to decrease catheter-related bloodstream infections in the ICU. *N Engl J Med.* 2006;355(25):2725-32.
- 28 Gerberding JL. Hospital-onset infections: a patient safety issue. *Ann Intern Med.* 2002;137(8):665-70.
- 29 Shojania KG, Duncan BW, McDonald KM, Wachter RM, editors. Making health care safer: a critical analysis of patient safety practices. Evidence Report/Technology Assessment no. 43. Rockville (MD): Agency for Healthcare Research and Quality; 2001. Pub. no. 01-E058.
- 30 Resar R, Pronovost P, Haraden C, Simmonds T, Rainey T, Nolan T. Using a bundle approach to improve ventilator care processes and reduce ventilator-associated pneumonia. *Jt Comm J Qual Patient Saf.* 2005;31(5):243-8.
- 31 Nolan T, Berwick DM. All-or-none measurement raises the bar on performance. *JAMA.* 2006;295(10):1168-70.
- 32 Berenholtz SM, Pronovost PJ, Lipsett PA, Hobson D, Earsing K, Farley JE, et al. Eliminating catheter-related bloodstream infections in the intensive care unit. *Crit Care Med.* 2004;32(10):2014-20.
- 33 Bosk CL, Dixon-Woods M, Goeschel CA, Pronovost PJ. Reality check for checklists. *Lancet.* 2009;374(9688):444-5.
- 34 Haynes AB, Weiser TG, Berry WR, Lipsitz SR, Breizat AH, Dellinger EP, et al. A surgical safety checklist to reduce morbidity and mortality in global population. *N Engl J Med.* 2009;360(5):491-9.
- 35 Gawande A. The checklist. *New Yorker.* 2007 Dec 10.
- 36 Shojania KG, Duncan BW, McDonald KM, Wachter RM. Safe but sound: patient safety meets evidence-based medicine. *JAMA.* 2002;288(4):508-13.
- 37 Auerbach AD, Landefeld CS, Shojania KG. The tension between needing to improve care and knowing how to do it. *N Engl J Med.* 2007;357(6):608-13.
- 38 Berwick DM. The science of improvement. *JAMA.* 2008;299(10):1182-4.
- 39 Leape LL, Berwick DM, Bates DW. What practices will most improve safety? Evidence-based medicine meets patient safety. *JAMA.* 2002;288(4):501-7.
- 40 Wachter RM. Foreword. In: Spath PL. Engaging patients as safety partners. Chicago (IL): American Hospital Association; 2007.
- 41 Lyons M. Should patients have a role in patient safety? A safety engineering view. *Qual Saf Health Care.* 2007;16(2):140-2.
- 42 Delbanco T, Bell SK. Guilty, afraid, and alone—struggling with medical error. *N Engl J Med.* 2007;357(17):1682-3.
- 43 Kachalia A, Shojania KG, Hofer TP, Piotrowski M, Saint S. Does full disclosure of medical errors affect malpractice liability? The jury is still out. *Jt Comm J Qual Saf.* 2003;29(10):503-11.
- 44 When things go wrong: responding to adverse events. A consensus statement of the Harvard hospitals. Burlington (MA): Massachusetts Coalition for the Prevention of Medical Errors; 2006.
- 45 Gallagher TH. A 62-year-old woman with skin cancer who experienced wrong-site surgery. *JAMA.* 2009;302(6):669-77.
- 46 Weeks WB, Bagian JP. Making the business case for patient safety. *Jt Comm J Qual Saf.* 2003;29(1):51-4.
- 47 Zhan C, Friedman B, Mosso A, Pronovost P. Medicare payment for selected adverse events: building the business case for investing in patient safety. *Health Aff (Millwood).* 2006;25(5):1386-93.
- 48 Joshi MS, Horak BJ. Healthcare transformation: a guide for the hospital board member. Boca Raton (FL): Taylor and Francis Group; 2009.
- 49 Lindenauer PK, Remus D, Roman S, Rothberg MB, Benjamin EM, Ma A, et al. Public reporting and pay for performance in hospital quality improvement. *N Engl J Med.* 2007;356(5):486-96.
- 50 Pronovost PJ, Miller MR, Wachter RM. Tracking progress in patient safety: an elusive target. *JAMA.* 2006;296(6):696-9.
- 51 Shojania KG. The frustrating case of incident-reporting systems. *Qual Saf Health Care.* 2008;17(6):400-2.
- 52 McNair PD, Luft HS, Bindman AB. Medicare’s policy not to pay for treating hospital-acquired conditions: the impact. *Health Aff (Millwood).* 2009;28(5):1485-93.
- 53 Pronovost PJ, Goeschel CA, Wachter RM. The wisdom and justice of not paying for “preventable complications.” *JAMA.* 2008;299(18):2197-9.
- 54 Inouye SK, Brown CJ, Tinetti ME. Medicare nonpayment, hospital falls, and unintended consequences. *N Engl J Med.* 2009;360(23):2390-3.
- 55 Jewell K, McGiffert L. To err is human—to delay is deadly. Austin (TX): Consumers Union; 2009.
- 56 HealthGrades. The sixth annual HealthGrades Patient Safety in American Hospitals Study [Internet]. Golden (CO): HealthGrades; 2009 Apr [cited 2009 Nov 18]. Available from: <http://www.healthgrades.com/media/dms/pdf/PatientSafetyInAmericanHospitalsStudy2009.pdf>
- 57 Brennan TA, Leape LL, Laird NM, Hebert L, Localio AR, Lawthers AG, et al. Incidence of adverse events and negligence in hospitalized patients. Results of the Harvard Medical Practice Study I. *N Engl J Med.* 1991;324(6):370-6.
- 58 Newman-Toker DE, Pronovost PJ. Diagnostic errors—the next frontier for patient safety. *JAMA.* 2009;301(10):1060-2.
- 59 Pronovost PJ, Faden RR. Setting priorities for patient safety: ethics, accountability, and public engagement. *JAMA.* 2009;302(8):890-1.